





















































































LED PROFILE LIST				
Series No.	P/N	Picture	Size	Description
1	HL-BAPL001			Super slim 7mm recessed aluminum profile without flange Option 1),PMMA opal matte diffuser 2),PMMA semi-clear matte diffuser 3),PMMA clear diffuser 4)PC Opal diffuser 5)PC Opal matte diffuser 6) PC Semi-clear diffuser 7)PC clear diffuser
	001-EC			material:ABS
	002-MB			material:SUS
	002-PB			material:PC
2	HL-BAPL002			Super slim 7mm recessed aluminum profile without flange Option 1),PMMA opal matte diffuser 2),PMMA semi-clear matte diffuser 3),PMMA clear diffuser 4)PC Opal diffuser 5)PC Opal matte diffuser 6) PC Semi-clear diffuser 7)PC clear diffuser
	HL-BAPL002W/喷粉 (White profile)			Super slim 7mm recessed aluminum profile without flange Option 1),PMMA opal matte diffuser 2),PMMA semi-clear matte diffuser 3),PMMA clear diffuser 4)PC Opal diffuser 5)PC Opal matte diffuser 6) PC Semi-clear diffuser 7)PC clear diffuser
	HL-BAPL002B/喷粉 (Black profile)			Super slim 7mm recessed aluminum profile without flange Option 1),PMMA opal matte diffuser 2),PMMA semi-clear matte diffuser 3),PMMA clear diffuser 4)PC Opal diffuser 5)PC Opal matte diffuser 6) PC Semi-clear diffuser 7)PC clear diffuser
	002-EC			material:ABS
	002-PB			material:PC
	002-MB			material:SUS
	002-MR			material:SUS


















	002-CT-I		material:PC
	002-CT-L		material:PC
	002-CT-T		material:PC
	002-CT- 2T		material:PC
3	HL-BAPL002L	 	recessed aluminum LED profile with lens: 60 degrees, Option: PMMA clear diffuser
	002L-EC		material:ABS
	002-PB		material:PC
	002-MB		material:SUS
	002-MR		material:SUS
4	HL-BAPL002S	 	super super slim 6mm recessed aluminum led profile for 5mm wide SMD 3528,120leds/m Strip Option: 1),PMMA opal matte diffuser 2),PMMA semi-clear matte diffuser 3),PMMA clear diffuser 4)PC Opal diffuser 5)PC Opal matte diffuser 6) PC Semi-clear diffuser 7)PC clear diffuser
	002S-EC		material:ABS
	002S-MB		material:SUS
5	HL-BAPL003	 	15mm recessed aluminum LED profile with flange, Option: 1),PMMA opal matte diffuser 2),PMMA semi-clear matte diffuser 3),PMMA clear diffuser 4)PC Opal diffuser 5)PC Opal matte diffuser 6) PC Semi-clear diffuser 7)PC clear diffuser
	003-EC		material:ABS
	002-MR		material:SUS



















	002-MB		material:SUS
6	HL-BAPL004	 	15mm recessed aluminum LED profile with flange, Option: 1),PMMA opal matte diffuser 2),PMMA semi-clear matte diffuser 3),PMMA clear diffuser 4)PC Opal diffuser 5)PC Opal matte diffuser 6) PC Semi-clear diffuser 7)PC clear diffuser
	004-EC		material:ABS
	002-PB		material:PC
	002-MR		material:SUS
	002-MB		material:SUS
7	HL-BAPL005	 	square aluminum LED profile, Option: 1),PMMA opal matte diffuser, 2),PMMA semi-clear matte diffuser New: 3),PMMA clear diffuser 4)PC Opal matte diffuser 5) PC Semi-clear diffuser 6)PC clear diffuser
	005-EC		material:ABS
	005-PB		material:PC
	005-MB		material:SUS
8	HL-BAPL006	 	aluminum corner LED profile, Option: 1),PMMA opal matte diffuser 2),PMMA semi-clear matte diffuser New: 3),PMMA clear diffuser 4), PC Opal microprism diffuser 5), PC Clear microprism diffuser
	006-EC		material:ABS
	005-PB		material:PC
	005-MB		material:SUS
	006-CT-I		material:PC
	006-CT-L		material:PC/



















	006-CT-L1			material:PC/
9	HL-BAPL007			aluminum corner LED profile Option: 1),PMMA opal matte diffuser 2),PMMA semi-clear matte diffuser 3),PMMA clear diffuser 4),PC Opal matte diffuser 5), PC Semi-clear diffuser 6),PC clear diffuser
	007-EC			material:ABS
	B1919 -MB			material:SUS
	007-PB			material:PC
10	HL-BAPL008			aluminum corner LED profile Option: 1),PMMA opal matte diffuser 2),PMMA semi-clear matte diffuser 3),PMMA clear diffuser
	008-EC			material:ABS
	008-PB			material:ABS
	DS001-WS			material:SUS
	008-MB			material:SUS
11	HL-BAPL009			flat aluminum LED profile Option: 1),PMMA opal matte diffuser
	009-EC			material:ABS
12	HL-BAPL010			aluminum LED profile for ceiling Option: 1),PMMA opal matte diffuser, 2),PMMA semi-clear matte diffuser 3),PMMA clear diffuser 4), PC Opal microprism diffuser 5), PC Clear microprism diffuser
	010-EC			material:ABS



















13	HL-BAPL011			aluminum LED profile for ceiling, Option: 1),PMMA clear diffuser 2),PMMA opal matte diffuser 3),PMMA semi-clear matte diffuser 4), PC Opal diffuser 5), PC Clear diffuser
	011-EC			material:ABS
14	HL-BAPL012			aluminum LED profile for ceiling, Option: 1),PMMA clear lenses diffuser
	012-EC			material:ABS
15	HL-BAPL013			10mm deep aluminum LED profile with flange, Option 1),PMMA opal matte diffuser, 2),PMMA semi-clear matte diffuser, 3),PMMA clear diffuser 4), PC Opal diffuser 5), PC Clear diffuser
	013-EC			material:ABS
	014-MB			material:SUS
	014-PB			material:PC
16	HL-BAPL014			10mm deep aluminum LED profile with flange, Option 1),PMMA opal matte diffuser, 2),PMMA semi-clear matte diffuser, 3),PMMA clear diffuser 4), PC Opal diffuser 5), PC Clear diffuser
	014-EC			material:ABS
	014-MR			material:SUS
	014-MB			material:SUS
	014-PB			material:PC

















17	HL-BAPL015			big size Aluminum LED profile for corner Option: 1),PMMA opal matte diffuser 2),PMMA semi-clear matte diffuser 3),PMMA clear diffuser
	015-EC			material:ABS
	015-MB			material:SUS
18	HL-BAPL016			big size Aluminum LED profile for corner, Option: 1),PMMA opal matte diffuser, 2),PMMA semi-clear matte diffuser, 3),PMMA clear diffuser 30X30mm 4), PC Opal microprism diffuser 5), PC Clear microprism diffuser
	016-EC			material:ABS
	015-MB			material:SUS
19	HL-BAPL017			High power recessed aluminum LED profile for ceiling and wall Option 1),PMMA opal matte diffuser 2),PMMA semi-clear matte diffuser 3),PMMA clear diffuser 4), PC Opal diffuser 5), PC Clear diffuser
	017-EC			material:ABS
	017-MB			material:SPCC
20	HL-BAPL018			High power recessed aluminum LED profile for ceiling and wall Option 1),PMMA opal matte diffuser 2),PMMA semi-clear matte diffuser 3),PMMA clear diffuser 4), PC Opal diffuser 5), PC Clear diffuser
	018-EC			material:ABS
















21	HL-BAPL019			High power recessed aluminum LED profile for ceiling and wall Option 1), PMMA opal matte diffuser 2), PMMA semi-clear matte diffuser 3), PMMA clear diffuser 4), PC Opal diffuser 5), PC Clear diffuser
	019-EC			material:ABS
22	HL-BAPL020			High power recessed aluminum LED profile for ceiling and wall Option 1), PMMA opal matte diffuser 2), PMMA semi-clear matte diffuser 3), PMMA clear diffuser 4), PC Opal diffuser 5), PC Clear diffuser
	020-EC			material:ABS
23	HL-BAPL021			Flat Aluminum led profile for cabinet light: Option 1), PMMA opal matte diffuser 2), PMMA semi-clear matte diffuser 3), PMMA clear diffuser 4) PC Opal diffuser 5) PC Opal matte diffuser 6) PC Semi-clear diffuser 7) PC clear diffuser
	021-EC			material:ABS
	002-MB			material:SUS
	002-PB			material:PC
24	HL-BAPL022			Aluminum led profile for stairs lighting: Option 1), PMMA opal matte diffuser 2), PMMA semi-clear matte diffuser 3), PMMA clear diffuser 4) PC Opal diffuser 5) PC Opal matte diffuser 6) PC Semi-clear diffuser 7) PC clear diffuser
	022-EC			material:ABS
25	HL-BAPL023			Installation Method: Embedded Option 1), PMMA opal matte diffuser 2), PMMA semi-clear matte diffuser 3), PMMA clear diffuser 4) PC Opal diffuser 5) PC Opal matte diffuser 6) PC Semi-clear diffuser 7) PC clear diffuser
	023-EC			material:ABS
















26	HL-BAPL024			Aluminum led profile for recessed wall or ceiling Option 1),PMMA opal matte diffuser, 2),PMMA semi-clear matte diffuser, 3),PMMA clear diffuser 4), PC Opal diffuser 5), PC Clear diffuser
	024-EC			material:ABS
27	HL-BAPL025			Flat Aluminum led profile for cabinet light Option 1),PMMA opal matte diffuser, 2),PMMA semi-clear matte diffuser, 3),PMMA clear diffuser New 4) PC Opal diffuser 5), PC Clear diffuser
	025-EC			material:ABS
	025-PB			material:PC
28	HL-BAPL026			Flat Aluminum led profile for cabinet light Option 1),PMMA opal matte diffuser, 2),PMMA semi-clear matte diffuser, 3),PMMA clear diffuser New 4) PC Opal diffuser 5), PC Clear diffuser
	026-EC			material:ABS
	DS002- WS			material:SUS
29	HL-BAPL027			LED profile , Option: 1),PMMA opal matte diffuser 2),PMMA semi-clear matte diffuser 3),PMMA clear diffuser 4)PC Opal diffuser 5)PC Opal matte diffuser 6) PC Semi-clear diffuser 7)PC clear diffuser
	027-EC			material:ABS
	002-PB			material:PC
	002-MB			material:SUS
	002-MR			material:SUS
	DS002-WS			material:SUS














30	HL-BAPL028			High power aluminum LED profile for ceiling or pendent light, Option 1),PMMA opal matte diffuser, 2),PMMA semi-clear matte diffuser, 3),PMMA clear diffuser 47*24mm
	028-EC			material:ABS
	DS003-W5			material:SUS
31	HL-BAPL029			multi-wall LED profile Option 1),PMMA opal matte diffuser 2),PMMA semi-clear matte diffuser 3),PMMA clear diffuser 4)PC Opal diffuser 5)PC Opal matte diffuser 6) PC Semi-clear diffuser 7)PC clear diffuser
	029-EC			material:ABS
	025-PB			material:PC
32	HL-BAPL030			LED wall profile Option 1),PMMA opal matte diffuser 2),PMMA semi-clear matte diffuser 3),PMMA clear diffuser 4)PC Opal diffuser 5)PC Opal matte diffuser 6) PC Semi-clear diffuser 7)PC clear diffuser
	030-EC			material:ABS
	025-PB			material:PC
33	HL-BAPL031			LED ceiling profile Option 1),PMMA opal matte diffuser, 2),PMMA semi-clear matte diffuser, 3),PMMA clear diffuser
	031-EC			material:ABS
	025-PB			material:PC
34	HL-BAPL032			LED ceiling profile Option 1),PMMA opal matte diffuser, 2),PMMA semi-clear matte diffuser, 3),PMMA clear diffuser















	032-EC		material:ABS	
	025-PB		material:PC	
35	HL-BAPL033			LED ceiling profile Option 1),PMMA opal matte diffuser, 2),PMMA semi-clear matte diffuser, 3),PMMA clear diffuser
	033-EC		material:ABS	
	025-PB		material:PC	
36	HL-BAPL034			LED ceiling profile Option PMMA clear diffuser
	034-EC		material:ABS	
	025-PB		material:PC	
37	HL-BAPL035			LED ceiling profile Option 1),PMMA opal matte diffuser, 2),PMMA semi-clear matte diffuser, 3),PMMA clear diffuser New 4) PC Opal diffuser 5), PC Clear diffuser
	035-EC		material:ABS	
	025-PB		material:PC	
38	HL-BAPL036			LED ceiling profile Option 1),PMMA opal matte diffuser, 2),PMMA semi-clear matte diffuser, 3),PMMA clear diffuser 4), PC Opal microprism diffuser 5), PC Clear microprism diffuser
	036-EC		material:ABS	
	025-PB		material:PC	
















39	HL-BAPL037			The stair profile is equipped with PVC transparent diffuser, and the stair lighting is double-side lighting.
	037-EC			material:PVC
40	HL-BAPL038			suspended deep aluminum profile Option 1) PC Clear diffuser 2) PC Opal diffuser 3)PC semi-clear matte diffuser
	038-EC			material:ABS
	DS004-WS			material:SUS
	038-CT			material:AL
	038-SCREW			material:SUS (1pcs Screw + 1 pcs screw nut)
41	HL-BAPL039			160 degree cover aluminum led profile Option: 1),PMMA opal matte diffuser, 2),PMMA semi-clear matte diffuser,
	039-EC			material:PVC
42	HL-BAPL040			Irregular aluminum led profile for wall Option: 1),PMMA opal matte diffuser 2),PMMA semi-clear matte diffuser 3),PMMA clear diffuser 4)PC Opal diffuser 5)PC Opal matte diffuser 6) PC Semi-clear diffuser 7)PC clear diffuser
	040-EC			material:ABS
	040-PB			material:PC
















43	HL-BAPL040L			Big Irregular aluminum led profile for wall Option: 1),PMMA opal matte diffuser 2),PMMA semi-clear matte diffuser 3),PMMA clear diffuser 4)PC Opal diffuser 5)PC Opal matte diffuser 6) PC Semi-clear diffuser 7)PC clear diffuser
	040L-EC			material:ABS
	040L-PB			material:PC
44	HL-BAPL041			Suspending aluminum led profile for parking lot Option: 1) PC semi Clear diffuser 2) PC Opal diffuser
	041-EC			material:ABS
	DS005-WS			material:SUS
45	HL-BAPL042			3 vertical lines aluminum led profile Option: 1),PMMA opal matte diffuser, 2),PMMA semi-clear matte diffuser, 3),PMMA clear diffuser
	042-EC			material:ABS
	042-MB			material:SUS
46	HL-BAPL043			3 vertical lines aluminum led profile Option: 1),PMMA opal matte diffuser, 2),PMMA semi-clear matte diffuser, 3),PMMA clear diffuser
	043-EC			material:ABS
	042-MB			material:SUS

















47	HL-BAPL044			Linear aluminum led profile for guide glass lighting
	044-EC			material:ABS
	044-MB			material:SUS
	DS004-WS			material:SUS
48	HL-BAPL044A			aluminum LED profile without any cover, for inserting 8mm tempered glass
	044A-EC			material:ABS
	044A-MB			material:AL
49	HL-BAPL044B			aluminum LED profile without any cover, for inserting 8mm tempered glass
	044B-EC			material:ABS
50	HL-BAPL044C			Slim aluminum LED profile for shelf light, without any cover, for inserting 8mm tempered glass
	044C-EC			material:ABS













51	HL-BAPL045			Two layers suspending deep aluminum profile supporting built-in LED power supply Option: 1) PC Opal diffuser 2)PC semi-clear matte diffuser
	045-EC			material:ABS
	DS004-WS			material:SUS
	045-CT			material:AL
	045-SCREW			material:SUS (1pcs Screw + 1 pcs screw nut)
52	HL-BAPL046			Two layers suspended deep aluminum profile supporting built-in power Option for diffuser: 1) PC Opal diffuser Color Option for profile: 1) Silver 2) Black
	HL-BAPL046-B			
	046-EC			material:Alu
	DS006-WS			material:SUS
	046-CT			material:SPCC
	CT			Material:SPCC
	M2-MB			Material:SUS
	046-SCREW			material:SUS (1pcs Screw + 1 pcs screw nut)

















53	HL-BAPL047			Aluminum led profile for stairs lighting: Option 1),PMMA opal matte diffuser 2),PMMA semi-clear matte diffuser 3),PMMA clear diffuser 4)PC Opal diffuser 5)PC Opal matte diffuser 6) PC Semi-clear diffuser 7)PC clear diffuser
	047-EC			material:ABS
54	HL-BAPL048			led profile for floor,strong PC Opal cover, 3mm thickness, Free LED dots
	048-EC			material:ABS
55	HL-BAPL049			led profile for floor,strong PC Opal cover, 3mm thickness, Free LED dots
	049-EC			material:ABS
56	HL-BAPL050			Aluminum profile for ceiling or pendent light Option 1),PMMA opal matte diffuser, 2),PMMA semi-clear matte diffuser, 3),PMMA clear diffuser 4), PC Opal diffuser 5), PC Clear diffuser
	050-EC			material:ABS
	050-MB			material:SUS
	DS003-WS			material:SUS















57	HL-BAPL051			High power aluminum LED profile for ceiling or pendent light, Option 1)PC opal diffuser, 2)PC semi-clear matte diffuser 3)PC clear diffuser
	051-EC			material:ABS
	051-EC			material:Alu
	CT			material:SPCC
	DS004-WS			material:SUS
58	HL-BAPL052			High power aluminum LED profile for ceiling or pendent light, Option 1)PC opal diffuser, 2)PC semi-clear matte diffuser 3)PC clear diffuser
	052-EC			material:ABS
	052-EC			material:Alu
	CT			material:SPCC
	DS004-WS			material:SUS
59	HL-BAPL053			High power aluminum LED profile for ceiling or wall light, Option 1)PC opal diffuser, 2)PC semi-clear matte diffuser 3)PC clear diffuser
	053-EC			material:ABS















	053-EC		material:Alu
	053-MB		material:SPCC
	CT		material:SPCC
60	HL-BAPL054	 	High power aluminum LED profile for ceiling or pendent light, Option 1),PC opal diffuser, 2)PC semi-clear matte diffuser 3)PC clear diffuser
	054-EC		material:ABS
	054-EC		material:Alu
	CT		material:SPCC
	DS004-WS		material:SUS
61	HL-BAPL055	 	High power aluminum LED profile for ceiling or wall light, Option 1),PC opal diffuser, 2)PC semi-clear matte diffuser 3)PC clear diffuser
	055-EC		material:ABS
	055-EC		material:Alu
	055-MB		material:SPCC
	CT		material:SPCC














62	HL-BAPL056			LED ceiling profile Option 1), PMMA opal matte diffuser, 2), PMMA semi-clear matte diffuser, 3), PMMA clear diffuser 4), PC Opal microprism diffuser 5), PC Clear microprism diffuser
	056-EC			material:ABS
	DS004-WS			material:SUS
63	HL-BAPL057			LED ceiling profile Option 1), PMMA opal matte diffuser, 2), PMMA semi-clear matte diffuser, 3), PMMA clear diffuser New 4) PC Opal diffuser 5), PC Clear diffuser
	057-EC			material:ABS
	DS004-WS			material:SUS
64	HL-BAPL058			LED ceiling profile Option 1), PMMA opal matte diffuser, 2), PMMA semi-clear matte diffuser, 3), PMMA clear diffuser
	058-EC			material:ABS
	DS004-WS			material:SUS
65	HL-BAPL059			aluminum LED profile for ceiling, Option: 1), PMMA clear lenses diffuser
	059-EC			material:ABS
	DS004-WS			material:SUS










66	HL-BAPL060			LED ceiling profile Option 1),PMMA opal matte diffuser, 2),PMMA semi-clear matte diffuser, 3),PMMA clear diffuser
	060-EC			material:ABS
	DS004-WS			material:SUS
67	HL-BAPL061			LED ceiling profile Option 1),PMMA opal matte diffuser, 2),PMMA semi-clear matte diffuser, 3),PMMA clear diffuser
	061-EC			material:ABS
	DS004-WS			material:SUS
68	HL-BAPL062			Aluminum LED profile for wall light, supporting internal driver, up and down light Option PC opal diffuser,
	062-EC			material:ABS
69	HL-BAPL063			Aluminum LED profile for pendant light,supporting built-in LED power supply, Option 1),PMMA opal matte diffuser, 2),PMMA semi-clear matte diffuser, 3),PMMA clear diffuser 4), NEW PC Opal diffuser 5), PC Clear diffuser
	063-EC			material:ABS
	DS004-WS			material:SUS

	CT		material:SPCC	
70	HL-BAPL064A			φ60 round aluminum LED profile Option: PC opal diffuser
	064A-EC		material:PP	
	DS004-WS		material:SUS	
	CT		material:SPCC	
71	HL-BAPL064B			φ80 round aluminum LED profile Option: PC opal diffuser
	064B-EC		material:PP	
	DS004-WS		material:SUS	
	CT		material:SPCC	
72	HL-BAPL064C			φ100 round aluminum LED profile Option: PC opal diffuser
	064C-EC		material:PP	
	DS004-WS		material:SUS	
	CT		material:SPCC	

73	HL-BAPL065-F			Waterproof led profile:IP67, PMMA Opal Matte + PMMA light lense ,rigid LED light bar applied inside,suitable for furniture or cabinet lighting or bath room
	065-F-EC			material:TPE
	065-F-MB			material:SUS
74	HL-BAPL066-F			Waterproof led profile:IP67, PMMA Opal Matte + PMMA light lense ,rigid LED light bar applied inside,suitable for furniture or cabinet lighting or bath room
	066-F-EC			material:TPE
	065-F-MB			material:SUS
75	HL-BAPL067-F			Waterproof led profile:IP67, PMMA Opal Matte + PMMA light lense ,rigid LED light bar applied inside,suitable for furniture or cabinet lighting or bath room
	067-F-EC			material:TPE
	067-F-MB			material:SUS
	HL-BAPL068			LED profile with adjustable reflector-wing for suspended light: Option 1)PC Clear diffuser 2) PC Opal diffuser

76	068-EC		material:ABS
	DS004-WS		material:SUS
	CT		material:SPCC
77	HL-BAPL068-F	 	Waterproof led profile:IP67, PC Opal + PC light sense
	068-F-EC		material:SG
	005-PB		material:PC
	005-MB		material:SUS
78	HL-BAPL069A	 	$\phi 60$ round aluminum LED profile with 360 degrees Option: PC opal diffuser
	069A-EC		material:ABS
	DS004-WS		material:SUS
79	HL-BAPL069B	 	$\phi 80$ round aluminum LED profile with 360 degrees Option: PC opal diffuser

	069B-EC		material:ABS
	DS004-WS		material:SUS
80	HL-BAPL069C	 	φ100 round aluminum LED profile with 360 degrees Option: PC opal diffuser
	069C-EC		material:ABS
	DS004-WS		material:SUS
	069C-CT-I		material:PC
	069C-CT-L		material:PC
81	HL-BAPL069-F	 	Waterproof led profile:IP67, PC Opal Matte + PC light lense ,rigid LED light bar applied inside,suitable for furniture or cabinet lighting or bath room
	069-F-EC		material:SG
	069-F-PB		material:PC
	002-MB		material:SUS

82	HL-BAPL070-F			Waterproof led profile:IP67, PC Opal Matte + PC light lense ,rigid LED light bar applied inside,suitable for furniture or cabinet lighting or bath room
	070-F-EC			material:SG
	070-F-MB			material:SUS
83	HL-BAPL071-F			Waterproof led profile:IP67, Aluminum profile + PC light lense ,rigid LED light bar applied inside,suitable for furniture or cabinet lighting or bath room
	071-F-EC			material:SG
	002-PB			material:PC
	002-MB			material:SUS